


## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(recursively same retrieving same (object near2 definitions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:01
L2	0	(recursively same retrieve same (object near2 definitions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:01
L3	21527	707/103R or 707/102 or 707/100 or 707/2 or 707/3 or 707/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:01
L4	4	3 and (recursively same (object near2 definitions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:02
L5	359	3 and ((object near2 definitions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:02
L6	108	5 and (recursively or loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:02
L7	19	5 and ((recursively or loop) same (search or retrieve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 14:02



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

recursively retrieving object definitions and produce object definitions and creating data structure using object definitions

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web** Results 1 - 10 of about **460,000** for **recursively retrieving object definitions and produce object definitions and creating data structure using object definitions**

Tip: Click to get a definition of: [retrieving object definitions](#) [produce object definitions](#) [creating data structure using object definitions](#)

Or just click on the underlined words in the above colored bar

### Document Object Model Core

NamedNodeMap **objects** in the DOM are live. IDL **Definition** ... In such cases, the user may call substringData to **retrieve** the **data** in appropriately sized ...

[www.w3.org/TR/DOM-Level-2-Core/core.html](http://www.w3.org/TR/DOM-Level-2-Core/core.html) - 204k - [Cached](#) - [Similar pages](#)

### Extensible Markup Language (XML) 1.1

Using fully normalized documents ensures that identity comparisons of names, ...

[**Definition**: A **data object** is an XML document if it is well-formed, ...

[www.w3.org/TR/xml11/](http://www.w3.org/TR/xml11/) - 221k - [Cached](#) - [Similar pages](#)

### SQL Server 2005 and Related Terms

Scripting support via XML based **Object Definition Language**. ... Returning hierarchical **data** is a common use of **recursive queries**. ...

[www.yukonxml.com/Glossary/](http://www.yukonxml.com/Glossary/) - 39k - [Cached](#) - [Similar pages](#)

### EP1271358 Ncr european software patent - Copying a portion of a ...

The method includes **recursively retrieving object definitions** for one or more ... of the database **structure using** the ordered set of **object definitions**. ...

[gauss.ffii.org/PatentView/EP1271358](http://gauss.ffii.org/PatentView/EP1271358) - 51k - [Cached](#) - [Similar pages](#)

### EP817034 Sun european software patent - Filtering an **object** ...

Filtering an **object** interface **definition** to determine services needed and provided ...

Sockets may be determined in a **recursive** manner **using** "tunneling". ...

[gauss.ffii.org/PatentView/EP817034](http://gauss.ffii.org/PatentView/EP817034) - 96k - [Cached](#) - [Similar pages](#)

### RDF Objects

RDF **Objects** should be defined and described **using** RDF. **Object Definitions** should provide enough information for an agent to **retrieve** the correct **Object** from ...

[ewic.bcs.org/conferences/2002/euoweb/session1/paper1.html.htm](http://ewic.bcs.org/conferences/2002/euoweb/session1/paper1.html.htm) - 36k -

[Cached](#) - [Similar pages](#)

#### [PDF] RDF Objects

File Format: PDF/Adobe Acrobat - [View as HTML](#)

RDF **Objects** should be defined and described **using** RDF. **Object Definitions** should provide enough information for. an agent to **retrieve** the correct **Object** ...

[ewic.bcs.org/conferences/2002/euoweb/session1/paper1.pdf](http://ewic.bcs.org/conferences/2002/euoweb/session1/paper1.pdf) - [Similar pages](#)

#### [PDF] RDF Objects

File Format: PDF/Adobe Acrobat - [View as HTML](#)

entities are also described **using** compound RDF **data structures**, ... An RDF **Object** Server should be able to accept an RDF **Object definition** from a client and ...

[www.hpl.hp.com/techreports/2002/HPL-2002-315.pdf](http://www.hpl.hp.com/techreports/2002/HPL-2002-315.pdf) - [Similar pages](#)

### TITANIUM Whitepaper

An **object-oriented** schema is created **using** the **Object Definition Language** ... DPA physical **structure** to **produce** the same answer in substantially less time. ...


[www.mdb.com/html/titanium\\_whitepaper.html](http://www.mdb.com/html/titanium_whitepaper.html) - 92k - [Cached](#) - [Similar pages](#)

### Towards a Web Object Model

The **definition** of such models (in some cases **using** XML as their ... processor **recursively**

processes source elements to **produce** a complete flow **object** tree ...  
[www.objs.com/OSA/wom.htm](http://www.objs.com/OSA/wom.htm) - 234k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google 


Result Page:    1   [2](#)   [3](#)   [4](#)   [5](#)   [6](#)   [7](#)   [8](#)   [9](#)   [10](#)    [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

recursively retrieving object definitions

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 1,310,000 for recursively retrieving object definitions. (0.51 seconds)

Tip: Click to get a definition of: retrieving object definitions  
Or just click on the underlined words in the above colored bar

Handling the Retrieve verb

**Recursively retrieve** all children of the child business **object**, creating the business **object** and setting the attributes for each one. ...

[publib.boulder.ibm.com/.../wbihelp/v6rxmx/](http://publib.boulder.ibm.com/.../wbihelp/v6rxmx/)

[topic.com.ibm.wbia\\_developer.doc/doc/connector\\_dev\\_java/java47.htm](http://topic.com.ibm.wbia_developer.doc/doc/connector_dev_java/java47.htm) - 21k -

[Cached](#) - [Similar pages](#)

Handling the Update verb

**Recursively retrieve** the data for the entire entity from the application using the primary keys from the request business **object**: ...

[publib.boulder.ibm.com/.../wbihelp/v6rxmx/](http://publib.boulder.ibm.com/.../wbihelp/v6rxmx/)

[topic.com.ibm.wbia\\_developer.doc/doc/connector\\_dev\\_java/java49.htm](http://topic.com.ibm.wbia_developer.doc/doc/connector_dev_java/java49.htm) - 21k -

[Cached](#) - [Similar pages](#)

Glossary

Server that provides access to files from other servers by **retrieving** them ... which provides links to the last n **objects** accessed. **recursive** relationship ...

[12.46.245.173/help/glossary.htm](http://12.46.245.173/help/glossary.htm) - 59k - [Cached](#) - [Similar pages](#)

OBJ

For other types of **objects**, it returns NA . ISBY [**RECURSIVE**] dimension-name ... This example uses OBJ and DESCRIBE to look at the **definitions** of all the ...

[www.stanford.edu/dept/itss/docs/oracle/10g/olap.101/b10339/x\\_obj001.htm](http://www.stanford.edu/dept/itss/docs/oracle/10g/olap.101/b10339/x_obj001.htm) - 56k -

[Cached](#) - [Similar pages](#)

Interactive Programming In Java

A Point **object** has methods to **retrieve** its individuate coordinates, ... It relies on the idea that each of the **recursively** contained **objects** is itself a ...

[www.cs101.org/ipij/oo-dispatch.html](http://www.cs101.org/ipij/oo-dispatch.html) - 55k - [Cached](#) - [Similar pages](#)

Citations: Codifying guarded definitions with recursive schemes ...

The language for describing **objects** is typed. .... E.Gim'enez. Codifying guarded **definitions** with **recursive** schemes, Workshop on Types for Proofs and ...

[citeseer.ist.psu.edu/context/306820/0](http://citeseer.ist.psu.edu/context/306820/0) - 20k - [Cached](#) - [Similar pages](#)

Citations: The Equivalence of Two Semantic Definitions for ...

6 The **recursive** record model We will use the term record .... K. Bruce. The equivalence of two semantic **definitions** of inheritance in **object-oriented** ...

[citeseer.ist.psu.edu/context/23557/0](http://citeseer.ist.psu.edu/context/23557/0) - 29k - [Cached](#) - [Similar pages](#)

[ [More results from citeseer.ist.psu.edu](#) ]

SQL Server 2005 and Related Terms

Scripting support via XML based **Object Definition** Language. ... as part of enhanced standard compliance (CTE from SQL-92 and **recursive** query from SQL:1999). ...

[www.yukonxml.com/Glossary/](http://www.yukonxml.com/Glossary/) - 39k - [Cached](#) - [Similar pages](#)

Recursive Tapestry Components

It resolves components in this way as it encounters them in the page and component **definitions** and any **recursive** reference to the component while it is ...


[www.behindthesite.com/blog/C1931765677/E923478269/index.html](http://www.behindthesite.com/blog/C1931765677/E923478269/index.html) - 12k -

### SGI TPL View (RWCollectable)

**Recursively** calls the virtual function `saveGuts()`, taking duplicate ...

**Cached - Similar pages**

Try your search again on [Google Book Search](#)



recursively retrieving object definition

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

recursively retrieving object definitions and produce object definitions

[Search](#)[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about **576,000** for recursively **retrieving object definitions** and **produce object definitions**. (0.40 sec)Tip: Click to get a definition of: [retrieving object definitions](#) [produce object definitions](#)  
Or just click on the underlined words in the above colored bar

### SQL Server 2005 and Related Terms

Scripting support via XML based **Object Definition** Language. ... as part of enhanced standard compliance (CTE from SQL-92 and **recursive** query from SQL:1999). ...  
[www.yukonxml.com/Glossary/](http://www.yukonxml.com/Glossary/) - 39k - [Cached](#) - [Similar pages](#)

### Extensible Markup Language (XML) 1.1

**[Definition:** A data **object** is an XML document if it is well-formed, ... An XML processor attempting to **retrieve** the entity's content MAY use any combination ...  
[www.w3.org/TR/xml11/](http://www.w3.org/TR/xml11/) - 221k - [Cached](#) - [Similar pages](#)

### OBJ

When you omit **object**-name, use REPORT, rather than SHOW, to **produce** the output. ...  
This example uses OBJ and DESCRIBE to look at the **definitions** of all the ...  
[www.stanford.edu/dept/itss/docs/oracle/10g/olap.101/b10339/x\\_obj001.htm](http://www.stanford.edu/dept/itss/docs/oracle/10g/olap.101/b10339/x_obj001.htm) - 56k - [Cached](#) - [Similar pages](#)

### EP817034 Sun european software patent - Filtering an object ...

A method of determining the plugs of an identified part begins by **retrieving** the interface (**object definition**) that corresponds to the part. ...  
[gauss.fiii.org/PatentView/EP817034](http://gauss.fiii.org/PatentView/EP817034) - 96k - [Cached](#) - [Similar pages](#)

### Objects in Caml

Let-bindings within class **definitions** are evaluated before the **object** is constructed. ...  
Caml: two unrelated classes may **produce objects** of the same type, ...  
[caml.inria.fr/pub/docs/manual-ocaml/manual005.html](http://caml.inria.fr/pub/docs/manual-ocaml/manual005.html) - 65k - [Cached](#) - [Similar pages](#)

### ADT 2007

The anchor property **definition** allows a schedule property to **retrieve** information from an **object** to which the scheduled **object** is anchored. ...  
[www.jtbworld.com/adt2007.htm](http://www.jtbworld.com/adt2007.htm) - 34k - [Cached](#) - [Similar pages](#)

### OOPSLA'96 Services of Workflow Objects ...

The workflow **definition** contains information like the workflow's structure, ... (**retrieve** references to factory **objects** that can **produce** workflow instances ...  
[jeffsutherland.com/oopsla96/schulze.html](http://jeffsutherland.com/oopsla96/schulze.html) - 24k - [Cached](#) - [Similar pages](#)

### ACM Sigplan Notices 27, 12 (Dec 1992), 39-46

We view the deletion from the **object** module of inlined procedures which are no ... Within the **recursive definition** of the normal (notinline) function f, ...  
[home.pipeline.com/~hbaker1/Inlines.html](http://home.pipeline.com/~hbaker1/Inlines.html) - 39k - [Cached](#) - [Similar pages](#)

### Citations: Codifying guarded definitions with recursive schemes ...

2 Guarded Infinite **Objects** Coquand [2] in Type Theory and Gimenez [5] in the ... In this approach, the rule for typing **recursive definitions** looks like ...  
[citeseer.ist.psu.edu/context/549203/0](http://citeseer.ist.psu.edu/context/549203/0) - 23k - [Cached](#) - [Similar pages](#)

### Macros introduce new object types

Macro **definitions** introduce new **object** types. ... The **recursive** descent recognizer performs the following steps on encountering calls to macro \kronecker : ...  
[www.cs.cornell.edu/home/raman/phd-thesis/html/node27.html](http://www.cs.cornell.edu/home/raman/phd-thesis/html/node27.html) - 10k -

[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google 

Result Page:    1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google